

WOJ+14561




CE

| | |
|-----------------|----------------------|
| Power | 10 W |
| Luminous flux** | 850 lm (360°) |
| Beam angle | 20 ° |

| | |
|-----------------|--------------|
| Voltage | 230 V |
| Colour of light | NW |
| Socket | GU10 |



 Declaration of Conformity

Technical data:

| | |
|-----------------------------------|---------------|
| Code | WOJ+14561 |
| Power | 10 W |
| Nominal current | 100 mA |
| Voltage | 230 V |
| Energy efficiency class | F |
| Energy consumption | 10 kWh/1000h |
| Frequency | 50HZ Hz |
| Power factor | 0.5 |
| Luminous flux* | 850 lm (90°) |
| Luminous flux** | 850 lm (360°) |
| Lamp efficacy | 77 lm/W |
| Luminous intensity | 1750 cd |
| Colour of light | NW |
| Beam angle | 20 ° |
| RA | 80 |
| Uniformity of color SDCM max | 5 |
| Dimmable | - |
| Working temperature range | -20/+40 ° |
| Lifespan | 17000 h |
| Socket | GU10 |
| Dimension (AxBxC) | 11x74 mm |
| Weight | 0.15 kg |
| For use | Inside |
| Application | INT |
| Number of pieces on the packaging | 5 pcs. |
| Made in | PRC |



*applies to the LED source used. **Luminaire luminous flux